

# Product CATALOG








LENGTH: (Cover) 13 & 16 Feet

(Bracket) 65 MM

USE: Indoor & Outdoor

MATERIAL: Aluminium Alloy 6063-T6

TYPE : Continuous Profile System



0	Recommended Railing Length Chart								
			Balcony	Length					
	<b>⊗</b>	10 Fieet	20 Feet	30 Feet	Unlimited				
Ħ	24 inch	Yes	Yes	Yes	Yes				
Height	30 inch	Yes	Yes	Yes	Yes				
Glass F	36 inch	Yes	Yes		(C)				
Gla	42 inch	Yes							
	Ancho	r & Wedge	will be Fitte	ed at Every	1 Feet				








LENGTH: 65 MM

USE : Indoor & Outdoor

MATERIAL: Aluminium Alloy 6063-T6

TYPE : Continuous Profile System





Recommended Railing Length Chart								
			Balcony	Length				
	<b>®</b>	10 Fieet	20 Feet	30 Feet	Unlimited			
ht	24 inch	Yes	Yes	Yes	Yes			
Glass Height	30 inch	Yes	Yes	Yes	Yes			
ISS F	36 inch	Yes	Yes		(O)			
Gla	42 inch	Yes			>			
	Ancho	r & Wedge	will be Fitte	ed at Every	1 Feet			








LENGTH: (Cover) 13 & 16 Feet

(Bracket) 65 MM

USE: Indoor & Outdoor

MATERIAL: Aluminium Alloy 6063-T6

TYPE : Continuous Profile System





Recommended Railing Length Chart								
Balcony Length								
	<u>©</u>	10 Fieet	20 Feet	30 Feet	Unlimited			
ht	24 inch	Yes	Yes	Yes	Yes			
Glass Height	30 inch	Yes	Yes	Yes				
ISS F	36 inch	Yes	Yes		(Q)			
Gla	42 inch	Yes						
	Ancho	or & Wedge	will be Fitte	ed at Every	1 Feet			








LENGTH: (Cover) 13 & 16 Feet

(Bracket) 65 MM

USE: Indoor & Outdoor

MATERIAL: Aluminium Alloy 6063-T6

TYPE : Continuous Profile System





Recommended Railing Length Chart									
Balcony Length									
	<b>©</b>	10 Fieet	20 Feet	30 Feet	Unlimited				
ht	24 inch	Yes	Yes	Yes	Yes				
Glass Height	30 inch	Yes	Yes	Yes	Yes				
ISS F	36 inch	Yes	Yes	Yes	Yes				
Gla	42 inch	Yes	Yes	Yes	,				
	Anchor & Wedge will be Fitted at Every 1 Feet								










USE: Indoor & Outdoor

MATERIAL: Aluminium Alloy 6063-T6

TYPE : Continuous Profile System



Recommended Railing Length Chart								
	@		Balcony	Length	(A)			
		10 Fieet	20 Feet	30 Feet	Unlimited			
ht	24 inch	Yes	Yes	Yes	Yes			
Glass Height	30 inch	Yes	Yes	Yes	Yes			
ISS F	36 inch	Yes	Yes	Yes	Yes			
Gla	42 inch	Yes	Yes	Yes				
	Ancho	or & Wedge	will be Fitte	ed at Every	1 Feet			








**USE**: Indoor & Outdoor

MATERIAL: Aluminium Alloy 6063-T6

TYPE : Continuous Profile System





	Recommended Railing Length Chart								
©			Balcony	Length	· · · · · · · · · · · · · · · · · · ·				
		10 Fieet	20 Feet	30 Feet	Unlimited				
ht	24 inch	Yes	Yes	Yes	Yes				
Glass Height	30 inch	Yes	Yes	Yes	Yes				
ISS I	36 inch	Yes	Yes	Yes					
Gle	42 inch	Yes	Yes	Y					
	Anchor & Wedge will be Fitted at Every 1 Feet								






USE: Indoor & Outdoor

MATERIAL: Aluminium Alloy 6063-T6

TYPE : Continuous Profile System





Recommended Railing Length Chart									
	@		Balcony	Length	(Q)				
		10 Fieet	20 Feet	30 Feet	Unlimited				
ht	24 inch	Yes	Yes	Yes	Yes				
Glass Height	30 inch	Yes	Yes	Yes	Yes				
ISS F	36 inch	Yes	Yes	Yes	Yes				
G	42 inch	Yes	Yes	Yes					
Anchor & Wedge will be Fitted at Every 1 Feet									








LENGTH: 12 Feet

USE: Indoor & Outdoor

MATERIAL: Aluminium Alloy 6063-T6

TYPE : Continuous Profile System





Recommended Railing Length Chart									
	(A)		Balcony	Length	(R)				
.0		10 Fieet	20 Feet	30 Feet	Unlimited				
ht	24 inch	Yes	Yes	Yes	Yes				
Glass Height	30 inch	Yes	Yes	Yes	Yes				
ISS F	36 inch	Yes	Yes	Yes	Yes				
Gle	42 inch	Yes	Yes	Yes					
Anchor & Wedge will be Fitted at Every 1 Feet									








USE: Indoor & Outdoor

MATERIAL: Aluminium Alloy 6063-T6

TYPE : Continuous Profile System





	Recommended Railing Length Chart								
	(A)	Balcony Length							
	.0	10 Fieet	20 Feet	30 Feet	Unlimited				
pt	24 inch	Yes	Yes	Yes	Yes				
Glass Height	30 inch	Yes	Yes	Yes	Yes				
ISS F	36 inch	Yes	Yes						
Gla	42 inch	Yes							
	Ancho	or & Wedge	will be Fitte	ed at Every	1 Feet				








USE: Indoor & Outdoor

MATERIAL: Aluminium Alloy 6063-T6

TYPE : Continuous Profile System





Recommended Railing Length Chart									
Balcony Length									
		10 Fieet	20 Feet	30 Feet	Unlimited				
ht	24 inch	Yes	Yes	Yes	Yes				
leigl	30 inch	Yes	Yes	Yes	Yes				
Glass Height	36 inch	Yes	Yes						
G	42 inch	Yes							
Anchor & Wedge will be Fitted at Every 1 Feet									








USE : Indoor & Outdoor

MATERIAL: Aluminium Alloy 6063-T6

TYPE : Continuous Profile System





	Recommended Railing Length Chart								
Balcony Length									
10 Fieet 20 Feet 30					Unlimited				
ht	24 inch	Yes	Yes	Yes	Yes				
Glass Height	30 inch	Yes	Yes	Yes	Yes				
ISS F	36 inch	Yes	Yes						
Gle	42 inch	Yes		6					
	Anchor & Wedge will be Fitted at Every 1 Feet								







USE : Indoor & Outdoor

MATERIAL: Aluminium Alloy 6063-T6

TYPE : Continuous Profile System





	Recommended Railing Length Chart								
			Balcony	Length					
	⊕	10 Fieet	20 Feet	30 Feet	Unlimited				
ht	24 inch	Yes	Yes	Yes					
Height	30 inch	Yes	Yes	<b>&gt;</b>					
Glass F	36 inch	Yes							
Gla	42 inch								
	Ancho	or & Wedge	will be Fitte	ed at Every	1 Feet				








LENGTH: 12 Feet

USE: Indoor & Outdoor

MATERIAL: Aluminium Alloy 6063-T6

TYPE : Continuous Profile System





Recommended Railing Length Chart						
	Balcony Length					
	<u>@</u>	10 Fieet	20 Feet	30 Feet	Unlimited	
ht	24 inch	Yes	Yes	Yes	Yes	
Glass Height	30 inch	Yes	Yes	Yes	Yes	
ISS F	36 inch	Yes	Yes	Yes	Yes	
Gle	42 inch	Yes	Yes	Yes	Yes	
Anchor & Wedge will be Fitted at Every 1 Feet						








LENGTH: 12 Feet

USE: Indoor & Outdoor

MATERIAL: Aluminium Alloy 6063-T6

TYPE : Continuous Profile System





	Recommended Railing Length Chart						
			Balcony	Length			
	<b>⊗</b>	10 Fieet	20 Feet	30 Feet	Unlimited		
ht	24 inch	Yes	Yes	Yes	Yes		
Glass Height	30 inch	Yes	Yes	Yes	Yes		
ass l	36 inch	Yes	Yes	Yes			
Gle	42 inch	Yes	Yes				
Anchor & Wedge will be Fitted at Every 1 Feet							








**USE**: Indoor & Outdoor

MATERIAL: Aluminium Alloy 6063-T6

TYPE : Continuous Profile System





Recommended Railing Length Chart						
Balcony Length						
10 Fieet 20 Feet 30 Feet Unlimite						
ht	24 inch	Yes	Yes	Yes	Yes	
leig	30 inch	Yes	Yes	Yes	Yes	
Glass Height	36 inch	Yes	Yes	Yes		
Gla	42 inch	Yes	Yes			
Anchor & Wedge will be Fitted at Every 1 Feet						








**USE**: Indoor & Outdoor

MATERIAL: Aluminium Alloy 6063-T6

TYPE : Continuous Profile System





Recommended Railing Length Chart							
	Balcony Length						
	10 Fieet 20 Feet 30 Feet Unlimited						
ht	24 inch	Yes	Yes	Yes	Yes		
leig	30 inch	Yes	Yes	Yes	Yes		
Glass Height	36 inch	Yes	Yes	Yes			
Gle	42 inch	Yes	Yes				
Anchor & Wedge will be Fitted at Every 1 Feet							








**USE**: Indoor & Outdoor

MATERIAL: Aluminium Alloy 6063-T6

TYPE : Continuous Profile System





Recommended Railing Length Chart							
Balcony Length							
10 Fieet 20 Feet 30 Feet Unlimited							
ht	24 inch	Yes	Yes	Yes	Yes		
leig	30 inch	Yes	Yes	Yes	Yes		
Glass Height	36 inch	Yes	Yes	Yes			
Gla	42 inch	Yes	Yes				
Anchor & Wedge will be Fitted at Every 1 Feet							








USE : Indoor & Outdoor

MATERIAL: Aluminium Alloy 6063-T6

TYPE: Continuous Profile System





Recommended Railing Length Chart						
Balcony Length						
10 Fieet 20 Feet 30 Feet Unlimited						
ht	24 inch	Yes	Yes	Yes	Yes	
leigl	30 inch	Yes	Yes	Yes	Yes	
Glass Height	36 inch	Yes	Yes	Yes	(3)	
Gla	42 inch	Yes	Yes	6		
Anchor & Wedge will be Fitted at Every 1 Feet						








USE : Indoor & Outdoor

MATERIAL: Aluminium Alloy 6063-T6

TYPE : Continuous Profile System



Recommended Railing Length Chart							
Balcony Length							
	<b>®</b>	10 Fieet	20 Feet	30 Feet	Unlimited		
ht	24 inch	Yes	Yes	Yes	Yes		
Glass Height	30 inch	Yes	Yes	Yes	Yes		
ISS F	36 inch	Yes	Yes				
Gla	42 inch	Yes		6			
Anchor & Wedge will be Fitted at Every 1 Feet							








USE : Indoor & Outdoor

MATERIAL: Aluminium Alloy 6063-T6

TYPE : Continuous Profile System



Recommended Railing Length Chart							
Balcony Length							
10 Fieet 20 Feet 30 Feet Unlimited							
ht	24 inch	Yes	Yes	Yes	Yes		
leigh	30 inch	Yes	Yes	Yes	Yes		
Glass Height	36 inch	Yes	Yes				
Gla	42 inch	Yes		0			
Anchor & Wedge will be Fitted at Every 1 Feet							








USE : Indoor & Outdoor

MATERIAL: Aluminium Alloy 6063-T6

TYPE : Continuous Profile System



Recommended Railing Length Chart								
			Balcony	Length				
	<b>©</b>	10 Fieet	20 Feet	30 Feet	Unlimited			
ţ	24 inch	Yes	Yes	Yes	Yes			
Glass Height	30 inch	Yes	Yes	Yes	Yes			
ISS F	36 inch	Yes	Yes					
Gle	42 inch	Yes						
	Anchor & Wedge will be Fitted at Every 1 Feet							








USE: Indoor & Outdoor

MATERIAL: Aluminium Alloy 6063-T6


TYPE : Continuous Profile System











FINISH: Mill Finish, Powder Coated, Anodized, Wooden Coated





Connector






Elbow

End Cap

#### (AT 02) - 65MM Round



LENGTH: 13 & 16 Feet






A-GRIP®










FINISH : Mill Finish, Powder Coated, Anodized, Wooden Coated



#### (AT 04) - 25 x 25 MM Square





LENGTH: 13 & 16 Feet






















FINISH: Mill Finish, Powder Coated, Anodized, Wooden Coated










#### (AT 06) - 50 x 50 MM Square





LENGTH: 13 & 16 Feet
















**FINISH** Mill Finish, Powder Coated, Anodized, Wooden Coated


















LENGTH 13 & 16 Feet

Mill Finish, Powder Coated, Anodized, Wooden Coated








End Cap

Elbow









FINISH: Mill Finish, Powder Coated, Anodized, Wooden Coated










#### (AT 10) - Comercial Top



LENGTH: 13 & 16 Feet





















FINISH: Mill Finish, Powder Coated, Anodized, Wooden Coated





#### (AT 12) - 50 x 50 MM One Side LED





LENGTH: 13 & 16 Feet








#### (AT 13) - Triangle





LENGTH: 13 & 16 Feet

FINISH: Mill Finish, Powder Coated, Anodized, Wooden Coated












#### (AT 14) - 38 MM Round




LENGTH: 13 & 16 Feet











FINISH: Mill Finish, Powder Coated, Anodized, Wooden Coated










#### (AT 16) - 65 x 45 MM





LENGTH: 13 & 16 Feet










A-GPIP®







FINISH: Mill Finish, Powder Coated, Anodized, Wooden Coated










(AT 18) - 70 x 30 MM Both Side LED





LENGTH: 13 & 16 Feet














**FINISH** Mill Finish, Powder Coated, Anodized, Wooden Coated










Wall Concealed

Connector



#### (AT 20) - 70 x 36 MM Eye Pipe



**LENGTH** 13 & 16 Feet









Elbow


End Cap











FINISH : Mill Finish, Powder Coated, Anodized, Wooden Coated










#### (AT 22) - 55 x 30 MM MIni Ovel





LENGTH: 13 & 16 Feet




















FINISH : Mill Finish, Powder Coated, Anodized, Wooden Coated










(AT 24) - 45 x 45 MM Octagon





LENGTH: 13 & 16 Feet




















FINISH: Mill Finish, Powder Coated, Anodized, Wooden Coated










### (AT 26) - 65 x 38 MM Crystal Diamond





LENGTH: 13 & 16 Feet








End Cap





















## **Terms & Conditions**

- 1. Payment: 100% Deposite In Advance
- 2. Freight As Per Actual Has To Be Paid By Franchisee/Buyer.
- 3. Packaging & Cartage Upto Transporter Booking Office Will Be Charged Extra.
- 4. 18% GST Extra





# www.agrip.co

Follow Us on: 1000

Rajkot - 360002 (Gujrat) INDIA